



## Salt

### Safety Data Sheet

Revision date 14/08/2015

Version: 1.0

#### 1.1. Product identifier

Product form : Granular  
Substance name : Salt (Sodium Chloride)  
Product code : Salt  
Other means of identification : Torch SD, Fine Stock Salt and Rocanville Standard

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation : Industrial, Deicer, Feed, Hide, Water softening, Bath Salt

#### 1.3. Details of the supplier of the safety data sheet

NSC Minerals Ltd  
2241 Speers Ave  
Saskatoon, SK S7L 5X6  
Toll Free: 1-888-668-7258  
Phone: 306-934-6477  
Fax: 306-242-0178  
Email: [nsc@nscminerals.com](mailto:nsc@nscminerals.com)

Website:  
[www.nscminerals.com](http://www.nscminerals.com)

#### 1.4. Emergency telephone number

Emergency number 1-306-934-6477  
1-888-668-7258

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Not Classified

#### 2.2. Label elements

None

# Salt

## Safety Data Sheet

---

Signal word (GHS-US)	: None
Hazard statements (GHS-US)	: Product does not meet criteria for classification
Precautionary statements (GHS-US)	: Prevention – Implement acceptable industrial hygiene practices  Response – Wash hands thoroughly after handling  Storage – store in well ventilated space a safe distance from incompatible materials  Disposal – Dispose of waste/residues in accordance with local authority requirements

**2.3. Other hazards** No additional information available

### SECTION 3: Composition/information on ingredients

**3.1. Substances** Not applicable

**3.2. Mixtures**

Name	Product identifier	%	GHS-US classification
Sodium chloride	(CAS No.) 7647-14-5		Generally recognized as safe

### SECTION 4: First aid measures

**4.1. Description of first aid measures**

First-aid measures general	: If medical advice is needed, have product container or label at hand.
First-aid measures after inhalation	: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. Give oxygen or artificial respiration if necessary. Obtain medical attention if breathing difficulty persists.
First-aid measures after skin contact	: Wash skin thoroughly with mild soap and water. Obtain medical attention if irritation develops or persists.

---

# Salt

## Safety Data Sheet

- 
- First-aid measures after eye contact : Immediately rinse with water for a prolonged period (15 minutes) while holding the eyelids wide open including upper and lower lids. Obtain medical attention if pain and irritation develops or persists.
- First-aid measures after ingestion : Do not induce vomiting. Administer water if patient is conscious. Ingesting salt will usually cause purging of the stomach by vomiting. Seek medical attention if a large amount is swallowed. Get medical advice and attention if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Irritation to eyes, skin and respiratory tract.
- Symptoms/injuries after inhalation : Overexposure may be irritating to the respiratory system.
- Symptoms/injuries after skin contact : May cause skin irritation.
- Symptoms/injuries after eye contact : May cause eye irritation.
- Symptoms/injuries after ingestion : If a large quantity has been ingested : Abdominal pain; Diarrhea; Nausea; Vomiting; Tingling in hands and feet; Weak pulse; Circulatory disturbances
- Chronic symptoms : Prolonged inhalation of dust may cause respiratory irritation.

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Not flammable. Use extinguishing media appropriate for surrounding fire.
- Unsuitable extinguishing media : None known.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Under conditions of fire this material may produce: toxic fumes
- Explosion hazard : Product is not explosive.
- Reactivity : Stable at ambient temperature and under normal conditions of use.

### 5.3. Advice for firefighters

- Firefighting instructions : Keep upwind. Under conditions of fire this material may produce: Potassium oxides; Hydrogen chloride; Chlorine gas
- Protection during firefighting : Wear full fire-fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
- Other information : Do not allow run-off from fire fighting to enter drains or water courses.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

- General measures : Do not breathe fumes from fires or vapors from decomposition.

#### 6.1.1. For non-emergency personnel

- Protective equipment : Wear suitable protective clothing, gloves and eye/face protection including tight fitting goggles in areas of high dust concentration. Wear NIOSH approved respiratory protective equipment when workplace conditions warrant use of respirator.

# Salt

## Safety Data Sheet

---

Emergency procedures : Collect as any solid. Ventilate area.

### 6.1.2. For emergency responders

Protective equipment : Wear suitable protective clothing, gloves and eye/face protection including tight fitting goggles in areas of high dust concentration. Wear NIOSH approved respiratory protective equipment when conditions warrant use of respirator.

Emergency procedures : If possible, stop flow of product. Contain and collect as any solid. Ventilate area.

### 6.2. Environmental precautions

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or CANUTEC at 613-996-6666 (in Canada). In other countries call CHEMTREC at (International code) +1-703-527-3887.

### 6.3. Methods and material for containment and cleaning up

For containment : Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for cleaning up : Recover the product by vacuuming, shoveling or sweeping. Avoid generation of dust during clean-up of spills. If uncontaminated, recover and reuse as product.

### 6.4. Reference to other sections

No additional information available

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : When heated, material emits irritating fumes.

Precautions for safe handling : Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Hygiene measures : Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture.

Special rules on packaging : Avoid contact with aluminum or carbon steel to minimize corrosion.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Highly soluble – No ACGIH TWA, Particulate Not Otherwise Specified (PNOS) not appropriate for highly soluble material.

---

# Salt

## Safety Data Sheet

### 8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas.

Personal protective equipment : Gloves. Safety glasses. Protective clothing.



Hand protection : Impermeable protective gloves.

Eye protection : Protective goggles and safety glasses

Skin and body protection : Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice. Wash clothing frequently.

Respiratory protection : Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits.

Environmental exposure controls : Ensure adequate ventilation, especially in confined areas.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Crystalline solid.

Color : White to red

Odor : None

Odor threshold : No data available

pH : 6-8

Relative evaporation rate (butylacetate=1) : No data available

Melting point : 1473.8°F (801°C)

Freezing point : No data available

Boiling point : 2669°F (1465°C)

Flash point : No data available

Self ignition temperature : Not flammable

Decomposition temperature : No data available

# Salt

## Safety Data Sheet

---

Flammability (solid, gas)	: Not flammable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 2.14
Density	: No data available
Solubility	: 26%
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: None known.
Oxidizing properties	: None known.
Explosive limits	: Not explosive

### 9.2. Other information

VOC content	: No data available
Bulk Density	: 71 – 77lbs/ft <sup>3</sup> (1137 – 1234kg/m <sup>3</sup> )
Molecular Formula	: NaCl

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Stable at ambient temperature and under normal conditions of use.

### 10.2. Chemical stability

Stable at standard temperature and pressure.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Protect from moisture.

### 10.5. Incompatible materials

Contact with acids liberates toxic gas (chlorine). Lithium, interhalogens (bromide, trifluoride, etc), acids, oxidizing agents, iron and cement.

### 10.6. Hazardous decomposition products

# Salt

## Safety Data Sheet

Contact with strong acids may produce hydrogen chlorine gas.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Sodium chloride (7647-14-5)	
LD50 oral rat	3 g/kg
LD50 dermal rabbit	> 10 g/kg
LC50 inhalation rat (mg/l)	> 42 g/m <sup>3</sup> (Exposure time: 1 h)

Serious eye damage/irritation : Salt dust can cause eye irritation

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity : The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Environmental Fate : No data available

Toxicity : No data available

Degradation Products : No data available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Sewage disposal recommendations : This material may be hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste disposal recommendations : Place in an appropriate container and dispose of the contaminated material at a licensed site.

# Salt

## Safety Data Sheet

Additional information : Dispose of waste material in accordance with all local, regional, national, and international regulations.

### SECTION 14: Transport information

In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

#### 14.1. UN number

No dangerous good in terms of transport regulations.

#### 14.2. UN proper shipping name

Not applicable

#### 14.2 Additional information

Other information : No supplementary information available.

#### Overland transport

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### SECTION 15: Regulatory information

#### 15.1. US Federal regulations

##### Sodium chloride (7647-14-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### 15.2. US State regulations

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska	Indiana	Minnesota	North Carolina	Utah
Arizona	Iowa	Nevada	Oregon Puerto Rico	Vermont
California	Kentucky	New Mexico	Rico	*Virgin Islands
*Connecticut	Maryland	*New Jersey	South Carolina	Virginia
Hawaii	Michigan	*New York	Tennessee	Washington
*Illinois				Wyoming

\*The state plans in these states apply only to public sector employers. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

##### Sodium chloride (7647-14-5)

U.S. - Texas - Effects Screening Levels - Long Term



# Salt

## Safety Data Sheet

### Sodium chloride (7647-14-5)

U.S. - Texas - Effects Screening Levels - Short Term

### 15.3. Canadian regulations

#### Sodium chloride (7647-14-5)

Listed on the Canadian DSL (Domestic Substances List) inventory.

WHMIS Classification

Uncontrolled product according to WHMIS classification criteria

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.

## SECTION 16: Other information

NFPA health hazard


: 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.

NFPA fire hazard

: 0 - Materials that will not burn.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



*The data contained herein is believed to be accurate and reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its sustainability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product. We disclaim all liability for any actions taken or forgone on reliance upon such data. Users should make their own investigation to determine the suitability of the information for the particular purposes.*